S19 8	S19 7	9 9 813	S19	4 4	S19 3	S19 2	S19 1	S19	# Ref
40	67	0	5710	0	7	2	43	96	Hits
((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with ((area or size or width) near2 (core or cores)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj	((385/49) or (385/88-94) or (398/FOR180) or (398/FOR186) or (398/202-214)).CCLS.	("2004/0076388").URPN.	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	Search Query
US-PGPUB	USPAT	USOCR	US-PGPUB; USPAT; USOCR	USPAT	EPO; JPO; DERWENT; IBM_TDB	USOCR	US-PGPUB	USPAT	DBs
OR.	OR	Q.	OR.	웆	Я	Я	Я Я	OR .	Default Operator
연구	OFF	OFF	양	OFF	OFF	OFF.	OFF	OFF	Plurals
2006/03/02:21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02 21:59	Time Stamp

gg 4	\$20 3	2 S20	S20 1	S20 0	S19 9
52	ω	103	76	31	18
((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetector or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibre or fibres or core or cores))))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibres or fibres or core or cores))))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibre or fibres or core or cores))))	(S197 or S198) not S200	S195 and ((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiodes or light-receiving or (light adjection)) with ((area or size or width) near2 (core or cores)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiodes or light-receiving or (light adj receiving)) with ((area or size or width) near2 (core or cores)))
EPO; JPO; DERWENT; IBM_TDB	USOCR	US-PGPUB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB
9	Q _R	9	Q.	QR	OR
O	OFF	OFF	OFF	OFF	OFF
2006/03/02:21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

S21 5	S21 4	S21 3	S21 2	S21 1	S21	S20 9	S20 8	S20 7	S20 6	\$20 5
P *		L	0	22	ω	1	21	57	2708	228
((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near4 (equal)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near4 (equal)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	("20020041731" "20020102084" "5278929" "5546212" "5552918" "5555334" "5566265" "5721426" "5997185" "6188495" "6243508" "6252725" "6353491" "6453091" "6454467").PN. OR ("6694074"). URPN.	((photodiode or photodiodes or photodetector or photodetectors) near4 (smaller or less)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	S208 and photodiode.ab.	S207 and fiber:ab.	S206 and plastic.ab.	nishimura.in. and opticaliab.	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibre or fibres or core or cores))))
US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	JPO; DERWENT	JPO; DERWENT	JPO; DERWENT	JPO; DERWENT	USPAT
OR	OR	OR	OR.	OR	S	OR.	Я	Q _R	Ŗ	Q _R
OFF	OFF	OFF	양	OFF	OFF	OFF	얶	OFF	OFF	OFF
2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59

6	S22	S22	S22 4	S22 3	\$22 2	S22 1	S22 0	9 521	S21 8	S21 7	S21 6
<u> </u>	н	0	H	21	57	2708	0	5710	0	W	15
((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with (core near2 (diameter or size or width or area or	((photodiode or photodiodes or photodetector or photodetectors) near4 (equal)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near4 (equal)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	S223 and photodiode.ab.	S222 and fiber.ab.	S221 and plastic.ab.	nishimura:in. and optical:ab.	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with ((area or size or width) near2 (core or cores)))	((385/49) or (385/88-94) or (398/FOR180) or (398/FOR186) or (398/202-214)):CCLS:	("2004/0076388").URPN.	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with ((fiber or fibre or spot or core or end-face or endface or face) near2 (diameter or size or width or area or cross-section or cross-sectional))	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with ((fiber or fibre or spot or core or end-face or endface or face) near2 (diameter or size or width or area or cross-section or cross-sectional))
EPO; JPO; DERWENT;	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	JPO; DERWENT	JPO; DERWENT	JPO; DERWENT	JPO; DERWENT	USOCR	US-PGPUB; USPAT; USOCR	USPAT	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR
Ş	OR	OR.	OR.	웆	S	R	OR	웃	Q _R	Q _R	O _R
OFF	OFF	OFF.	OFF	OFF	· OFF	Ŷ	OFF	O Tr	OFF	OFF F	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

Page 4

S23 7	S23 6	S23	\$23 4.	3 3	\$23 2	\$23 1	\$23 0	S22 9	\$22 8
76	31	18	40	67	7	2	43	96	1
(\$233 or \$234) not \$236	S219 and ((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiodes or light-receiving or (light adj receiving)) with ((area or size or width) near2 (core or cores)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with ((area or size or width) near2 (core or cores)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiodes or light-receiving or (light adjreceiving)) with ((area or size or width) near2 (core or cores)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors) with ((area) near2 (smaller or less or small)))	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB	USPAT	EPO; JPO; DERWENT; IBM_TDB	USOCR	US-PGPUB	USPAT	US-PGPUB; USPAT; USOCR
SR.	Я	QR	OR .	S	O _R	R	OR.	Я	QR.
OFF	OFF	O	OFF	OT.	OFF	OFF	OFF	OFF	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

S24 5	S24 4	S24 3	S24 2	S24 1	S24 0	۶. گ	S23 8
ω	12	œ	2	21	52	ω.	103
((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (spot near2 size)	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (spot near2 size)	S222 and fiber, ab.	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibres or fibres or core or cores))))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibre or fibres or core or cores))))	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibres or fibres or core or cores))))
EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	JPO; DERWENT	EPO; JPO; DERWENT; IBM_TDB	USOCR	US-PGPUB
QR.	Q _R	웃	Q.	Ş	Q _R	8	R
OFF	OFF	QT.	OFF	OFF	OFF	O H	OFF
2006/03/02:21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59

\$25 2	H &	S25 0	S24 9	S24 8	S24 7	S24 6
3209	228	ω	15	22	ω	10
(S229 or S230 or S231 or S232 or S218 or S219 or S220 or S233 or S234 or S235 or S236 or S237 or S238 or S239 or S240 or S251 or S221 or S222 or S223 or S224 or S242 or S243 or S244 or S245 or S246 or S247 or S248 or S225 or S226 or S227 or S228 or S249 or S250) and @pd>"20021605"	((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((photodetector or photodetectors or detector or detectors or detecting or photodetecting or photodiode or photodiodes or light-receiving or (light adj receiving)) with (((area or size or width or diameter) near2 (smaller or small or less or equal)) and ((core or cores or cross-section or cross-sectional or diameter or (cross adj section) or (cross adj sectional) or width or area) near2 (fiber or fibers or fibres or fibres or core or cores))))	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with ((fiber or fibre or spot or core or end-face or endface or face) near2 (diameter or size or width or area or cross-section or cross-sectional))	((plurality or multiple) near2 (photodiode or photodiodes or photodetector or photodetectors)) with ((fiber or fibre or spot or core or end-face or endface or face) near2 (diameter or size or width or area or cross-section or cross-sectional))	("20020041731" "20020102084" "5278929" "5546212" "5552918" "5555334" "5566265" "5721426" "5997185" "6188495" "6243508" "6252725" "6353491" "6453091" "6454467").PN. OR ("6694074"). URPN.	((photodiode or photodiodes or photodetector or photodetectors) near4 (smaller or less)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near4 (smaller or less)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))
US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	USPAT	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR
OR.	S	OR.	QR.	OR .	욹	Q.
OFF	P. P	OFF	OFF	OFF	OFF	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

8 8	\$25 7	9 SS	\$25 5	\$25 4	\$25 3
ω	127	8	389	29	25
\$257 and ((align or aligned or aligning or aligns or alignment) near2 (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guide) or (light adj guides) or waveguide or waveguides))	((photodetectors or photodetector or photodiode or photodiodes or detector or detectors) near2 (array or arrays)) with (single near2 substrate)	S255 and (((size or area or radius or diameter or region or length or width) near2 (less or smaller)) with (fiber or fibers or fibre or fibres))	((photodetectors or photodetector or light-receiver or light-receivers or receiver or receivers or receiving or detector or detectors or photodiode or photodiodes) near2 (array or arrays or arrayed or arraying)) same ((pixel or photodetector or photodiode or detector or light-receiver or receiver or receiving) with ((size or area or radius or diameter or region or length or width) near2 (less or smaller)))	(((photodetectors or photodetector or light-receiver or light-receivers or receivers or receivers or receivers or receiving or sensitive or detector or detectors) near2 (cell or cells or area or areas or region or regions or pixel or pixels)) with ((smaller or less) near2 (fiber or fibers or fibre or fibres)))	S252 and ((photodetectors or photodetector or light-receiver or light-receivers or receiver or receivers or receiving or sensitive) with ((smaller or less) near2 (fiber or fibers or fibre or fibres)))
US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	Я Я	۶	Q,	Я	Я
OFF	OFF	OFF	OFF	OH.	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

S26 5	S26 4	S26 3	226 2	\$26 1	0 0 0	\$25 9
2	0	422		L	1330	39
10/855,958	("2004/0076388");URPN:	(photodetectors or photodetector or photodiode or photodiodes or detector or detectors) same (((area or region or surface or diameter or radius or dimensions) near2 (smaller or less)) with (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guide) or (light adj guides) or waveguide or waveguides))	((photodetectors or photodetector or photodiode or photodiodes or detector or detectors) with: ((area or region or surface or diameter or radius or dimensions) near2 (smaller or less))) same ((align or aligned or aligning or aligns or alignment) near2 (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guide) or (light adj guides) or waveguide or waveguides))	((photodetectors or photodetector or photodiode or photodiodes or detector or detectors) with ((area or region or surface or diameter or radius) near2 (smaller or less))) same ((align or algned or aligning or aligns or alignment) near2 (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guides) or waveguide or waveguides))	(photodetectors or photodetector or photodiode or photodiodes or detector or detectors) same ((align or aligned or aligning or aligns or alignment) near2 (fiber or fibers or fibre or fibres or light-guide or light-guides or (light ad) guides) or waveguide or waveguides))	S257 and (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guide) or (light adj guides) or waveguide or waveguides)
US-PGPUB; USPAT	USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
OR.	R	OR	£	OR	S	R
OFF	OFF	OFF	OFF	OFF	OFF	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

\$27 4	S27 3	S27 2	S27 1	S27 0	9 S26	S26 8	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	S26 6
0	44		2	74	108	183	897	6
S272 and (plastic)	S272 and (fiber or fibre or fibers or fibres)	("5189296").PN.	(("5714773") or ("4366377")).PN.	S269 and (optical or optic or light)	(((fiber or fibres or fibres) near2 (conventional or known)) with plastic) same (diameter or diameters or radius or radii)	(((photodetectors or photodetector or photodiode or photodiodes or detector or detectors) near2 (number or plurality or multiple or array or arrayed or arraying or arrays)) with (resolution)) same (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guide) or (light adj guides) or waveguide or waveguides)	((photodetectors or photodetector or photodiode or photodiodes or detector or detectors) with (resolution)) same (fiber or fibers or fibre or fibres or light-guide or light-guides or (light adj guide) or (light adj guides) or waveguides)	("4544840").PN. OR ("4936681").URPN.
USPAT	USPAT	USPAT	USPAT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR
Я	Я	QR R	유	O _R	Ş	O _R	S	OR.
OFF	O F	OFF	OFF	OFF	077	OFF	OFF	OFF
2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

S28 4	S28 3	S28 2	\$28 1	S28	S27 9	S27	S27 7	S27	S27 5
10	ω	12	8	2	0		-	0	0
((photodiode or photodiodes or photodetector or photodetectors) near4 (smaller or less)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (core near2 (diameter or size or width or area or cross-section or cross-sectional))	((photodiode or photodiodes or photodetector or photodetectors) near2 (array or arrays or arrayed or arraying)) with (spot near2 size)	((photodiode:or photodiodes or photodetector or photodetectors):near2 (array:or arrays or arrayed:or arraying)) with (spot near2:size)	S272 and (asymmetric or asymmetrical)	S272 and (photodiode)	S272 and (electrical)	S272 and (electrically)	S272 and (isolated)
US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR	EPO; JPO; DERWENT; IBM_TDB	USPAT	USPAT	USPAT	USPAT	TAASN
OR.	OR.	Q.	O _R	R	Q _R	Я	Я	Ç	유
OFF	OFF	017	OFF	OFF	OFF	OFF	OFF	OFF	OFF
2006/03/02:21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02 21:59	2006/03/02:21:59	2006/03/02 21:59

3/3/06 8:49:22 AM C:\Documents and Settings\MConnellycushwa\My Documents\EAST\Workspaces\10603078.wsp

. –	
U1	S28
·	125
\$199 or \$200 or \$201 or \$202 or \$203 or \$204 or \$205 or \$206 or \$207 or \$208 or \$209 or \$210 or \$211 or \$212 or \$213 or \$214 or \$215 or \$216 or \$217 or \$218 or \$219 or \$220 or \$221 or \$222 or \$223 or \$224 or \$225 or \$226 or \$227 or \$228 or \$229 or \$230 or \$231 or \$232 or \$233 or \$234 or \$235 or \$236 or \$237 or \$238 or \$239 or \$240 or \$241 or \$242 or \$243 or \$244 or \$245 or \$245 or \$247 or \$248 or \$249 or \$250 or \$251 or \$252 or \$253 or \$254 or \$255 or \$256 or \$257 or \$258 or \$259 or \$260 or \$261 or \$262 or \$262 or \$263 or \$264 or \$265 or \$265 or \$267 or \$268 or \$269 or \$270 or \$271 or \$272 or \$273 or \$274 or \$275 or \$276 or \$277 or \$278 or \$279 or \$280 or \$281 or \$282 or \$283 or \$284) and @ad<"20020625" and	7
USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; OR
	OR.
	OFF
	2006/03/03 08:37

3/3/06 8:57:56 AM C:\Documents and Settings\MConnellycushwa\My Documents\EAST\Workspaces\10603078.wsp

2006/03/03 08:57				0 ("2004/0076388").URPN.		٦
OR ON 2006/03/03 08:57	8	PUB; (;) OR PO; ON	US-PGPUB; OR USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	(plastic near2 (fiber or fibre)).clm. and (photodetector or photodiode or detector).clm. and (semiconduct\$3).clm. and (wavelength or frequency or channel).clm.	7	Ü
Plurals Time Stamp	Plurals	Default Operator	DBs	Hits Search Query	Hit	# Ref